

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S2	4388	370/389.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/24 08:02
S3	3408	370/389.ccls. and rout\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/24 08:03
S4	1258	370/389.ccls. and rout\$3 and identif\$6 and deci\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/24 08:04
S5	241	370/389.ccls. and rout\$3 and identif\$6 and deci\$4 and sort\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/24 08:05
S6	188	370/389.ccls. and rout\$3 and identif\$6 and deci\$4 and sort\$3 and header	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 09:28
S7	64	virtual adj3 rout\$3 and identif\$6 and classif\$6 and sort\$3 and header	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 09:33
S8	3876	rout\$3 and identif\$6 and classif\$6 and sort\$3 and header	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 11:01
S9	105	rout\$3 and (identif\$6 with (packet adj2 type)) and classif\$6 and sort\$3 and header	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 09:52
S10	11	(identif\$6 with (packet adj2 type)) with (IPv6 or IPv4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 09:56

## EAST Search History

S11	4039	(identif\$6 with (packet near4 type))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 09:57
S12	2865	(identif\$6 with (packet near4 type)) and rout\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 09:57
S13	325	(identif\$6 with (packet near4 type)) and rout\$3 and ((create or attach or add) near4 header)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 12:14
S15	7509	cisco.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 12:15
S16	30	cisco.as. and (extract\$3 or read\$3) with header and (determin\$5 or identif\$6) with (packet near3 type)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 12:55
S17	30	cisco.as. and (extract\$3 or read\$3) with header and (determin\$5 or identif\$6) with (packet near3 type) and (sort\$3 wit header)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 12:59
S18	11	cisco.as. and (extract\$3 or read\$3) with header and (determin\$5 or identif\$6) with (packet near3 type) and (sort\$3 wit header) and IPv6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 13:06
S19	30	cisco.as. and (extract\$3 or read\$3) with header and (determin\$5 or identif\$6) with (packet near3 type) and (sort\$3 wit header) and rout\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 13:07
S20	1168	(extract\$3 or read\$3) with header and (determin\$5 or identif\$6) with (packet near3 type) and (sort\$3 wit header) and rout\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 13:07
S22	878	S20 and (@ad<="20020917" or @rlad<="20020917")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 11:02

## EAST Search History

S23	14	(US-20040052260-\$ or US-20020009079-\$ or US-20060251048-\$ or US-20060114924-\$ or US-20040228274-\$ or US-20040185889-\$ or US-20060209840-\$ or US-20040039986-\$ or US-20030002506-\$ or US-20030002438-\$ or US-20020073215-\$ or US-20010028650-\$).did. or (US-6865185-\$ or US-7177276-\$). did.	US-PGPUB; USPAT	OR	ON	2007/04/26 08:54
S24	4	S23 and IPv6 and IPv4	US-PGPUB; USPAT	OR	ON	2007/04/25 15:16
S25	10	S23 and packet adj2 type	US-PGPUB; USPAT	OR	ON	2007/04/25 15:35
S27	2	S23 and sort\$3	US-PGPUB; USPAT	OR	ON	2007/04/25 15:36
S28	2	"7012890".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 07:35
S29	1	("7012890").URPN.	USPAT	OR	ON	2007/04/26 07:36
S30	4	("20030002438"   "20030043802"   "5809012"   "6788683").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/26 07:37
S31	14	(US-20040052260-\$ or US-20020009079-\$ or US-20060251048-\$ or US-20060114924-\$ or US-20040228274-\$ or US-20040185889-\$ or US-20060209840-\$ or US-20040039986-\$ or US-20030002506-\$ or US-20030002438-\$ or US-20020073215-\$ or US-20010028650-\$).did. or (US-6865185-\$ or US-7177276-\$). did. and (packet near2 type).	US-PGPUB; USPAT	OR	ON	2007/04/26 09:00

## EAST Search History

S33	13	((US-20040052260-\$ or US-20020009079-\$ or US-20060251048-\$ or US-20060114924-\$ or US-20040228274-\$ or US-20040185889-\$ or US-20060209840-\$ or US-20040039986-\$ or US-20030002506-\$ or US-20030002438-\$ or US-20020073215-\$ or US-20010028650-\$).did. or (US-6865185-\$ or US-7177276-\$). did.) and (packet near2 type)	US-PGPUB; USPAT	OR	ON	2007/04/26 10:30
S34	1	"5434863".pn.	US-PGPUB; USPAT	OR	ON	2007/04/26 10:31
S35	121	rout\$3 and identif\$6 and classif\$6 and sort\$3 and (add adj2 header)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 11:15
S36	91	S35 and (@ad<="20020917" or @rlad<="20020917")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 11:18
S37	145	rout\$3 and (identif\$6 or extract\$3 or filter\$3) and sort\$3 and (add adj2 header) and (packet near3 type)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 11:17
S38	103	S37 and (@ad<="20020917" or @rlad<="20020917")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 12:11
S39	2948	(create or add) same header same (packet near S30 type) and (@ad<="20020917" or @rlad<="20020917")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 14:05
S41	72	(create or add) same header same (packet near S30 type) and (@ad<="20020917" or @rlad<="20020917") and IPv4 and Ipv6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 14:03

## EAST Search History

S42	70	(create or add) same header same (packet near S30 type) and (@ad<="20020917" or @rlad<="20020917") and IPv4 and Ipv6 and rout\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 12:15
S43	31	(create or add) near5 header same (packet near S30 type) and (@ad<="20020917" or @rlad<="20020917") and IPv4 and Ipv6 and rout\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 12:35
S44	67	(creat\$3 or add\$3) near5 header same (packet near S30 type) and (@ad<="20020917" or @rlad<="20020917") and IPv4 and Ipv6 and rout\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 12:20
S45	0	(create or add) near5 (header same ((based or according) near5(packet near S30 type))) and (@ad<="20020917" or @rlad<="20020917") and IPv4 and Ipv6 and rout\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 12:37
S46	1	(create or add) near5 header same ((based or according) near5(packet near S30 type)) and (@ad<="20020917" or @rlad<="20020917") and IPv4 and Ipv6 and rout\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 12:39
S47	26	(create or add) near5 header same ((based or according) near5(packet near S30 type)) and (@ad<="20020917" or @rlad<="20020917")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 12:44
S49	11953	(create or add or attach) with header and (@ad<="20020917" or @rlad<="20020917")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 12:46
S50	59	((create or add or attach) with (internal adj2 header)) and (@ad<="20020917" or @rlad<="20020917")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 13:10
S52	0	((create or add or attach) with ((internal adj2 header)) with (packet adj2 type)) and (@ad<="20020917" or @rlad<="20020917")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 13:11

## EAST Search History

S53	24	((create or add or attach) with ((header)) with (packet adj2 type)) and (@ad<="20020917" or @rlad<="20020917")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 13:11
S54	2011	((creat\$3 or add\$3 or attach\$3) with header) with (packet near S30 type) and (@ad<="20020917" or @rlad<="20020917")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 14:07
S55	439	((creat\$3 or add\$3 or attach\$3) with header) with (packet near S30 type) and (@ad<="20020917" or @rlad<="20020917") and router	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 14:47
S57	82	((creat\$3 or add\$3 or attach\$3) with header) with (packet near3 type) and (@ad<="20020917" or @rlad<="20020917") and router	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 15:02
S58	167	((creat\$3 or add\$3 or attach\$3) with header) with (packet near3 type) and (@ad<="20020917" or @rlad<="20020917")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 16:28
S59	724	header adj2 generator	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 16:28
S60	565	(header adj2 generator) and (@ad<="20020917" or @rlad<="20020917")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 16:29
S61	257	(header adj2 generator) and (@ad<="20020917" or @rlad<="20020917") and rout\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 16:29
S62	110	(header adj2 generator) and (@ad<="20020917" or @rlad<="20020917") and rout\$3 and discard\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 16:32
S63	0	(internal adj2 header adj2 generator) and (@ad<="20020917" or @rlad<="20020917") and rout\$3 and discard\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 16:32

## EAST Search History

S64	0	(internal adj2 header adj2 generator) and (@ad<="20020917" or @rlad<="20020917") and discard\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 16:33
S65	155	(header adj2 generator) and (@ad<="20020917" or @rlad<="20020917") and discard\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 16:36
S66	1	((header adj2 generator) with discard\$3 )and (@ad<="20020917" or @rlad<="20020917")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 16:37
S67	2067	(header with discard\$3 )and (@ad<="20020917" or @rlad<="20020917")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 16:38
S68	1423	(header with discard\$3 )and (@ad<="20020917" or @rlad<="20020917") and rout\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 16:38
S69	7	((internal adj2 header) with discard\$3 )and (@ad<="20020917" or @rlad<="20020917") and rout\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 16:43
S70	7	((internal adj2 header) with discard\$3 )and (@ad<="20020917" or @rlad<="20020917")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 16:45
S71	10	((added adj2 header) with discard\$3 )and (@ad<="20020917" or @rlad<="20020917")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 16:46
S72	6	"090285".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 08:25
S73	2	"6628653".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/03 10:07

## EAST Search History

S74	19	(US-20060209840-\$ or US-20040039986-\$ or US-20020012348-\$ or US-20010028650-\$ or US-20040185889-\$ or US-20030002438-\$ or US-20020009079-\$ or US-20060114924-\$ or US-20030002506-\$ or US-20040228274-\$ or US-20030081546-\$ or US-20020073215-\$ or US-20020141403-\$ or US-20060251048-\$ or US-20050190713-\$ or US-20040052260-\$).did. or (US-6865185-\$ or US-7177276-\$ or US-6628653-\$).did.	US-PGPUB; USPAT	OR	ON	2007/10/03 10:09
S75	11	S74 and packet adj type	US-PGPUB; USPAT	OR	ON	2007/10/03 10:30
S76	8	packet adj type with (prescribed fixed) adj2 position	US-PGPUB; USPAT	OR	ON	2007/10/03 10:30